SAFETY DATA SHEET



This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Date 31-Jul-2015 Version 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product Code 68050

Product Name BEARING MOUNT FOR RELAXED FITS 50ML

Contains DIMETHYLBENZYL HYDROPEROXIDE, MALEIC ACID

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Adhesive

Uses advised against No information available

1.3. Details of the supplier of the safety data sheet

Importer

ITW Permatex 10 Columbus Blvd. Hartford, CT 06106 USA Telephone: 1-87-Permatex (877) 376-2839

E-mail address

mail@permatex.com

1.4. Emergency telephone number

24 Hour Emergency Phone Number - 800-255-3924 (00+ 1+ 813-248-0585) ChemTel

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Regulation (20) No 1272/2000	
Acute toxicity - Inhalation (Dusts/Mists)	Category 4 - (H332)
Serious eye damage/eye irritation	Category 2 - (H319)
Skin sensitization	Category 1 - (H317)
Specific target organ toxicity (single exposure)	Category 3 - (H335)
Acute aquatic toxicity	Category 1 - (H400)
Chronic aquatic toxicity	Category 1 - (H410)

Classification according to Directive 67/548/EEC or 1999/45/EC

Full text of R-phrases: see section 16

2.2. Label elements

Contains DIMETHYLBENZYL HYDROPEROXIDE, MALEIC ACID



Signal word Warning

Statements of hazard

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H332 - Harmful if inhaled

H410 - Very toxic to aquatic life with long lasting effects

H335 - May cause respiratory irritation

H336 - May cause drowsiness or dizziness

Precautionary Statements - EU (§28, 1272/2008)

P321 - Specific treatment (see supplemental first aid instructions on this label)

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P271 - Use only outdoors or in a well-ventilated area

P280 - Wear eye protection/ face protection

P264 - Wash face, hands and any exposed skin thoroughly after handling

P273 - Avoid release to the environment

Other Information

· Not applicable

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 substances

Chemical Name	EC No	CAS No	Weight-%	Classification according to Directive 67/548/EEC or 1999/45/EC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
DIMETHYLBENZYL HYDROPEROXIDE	201-254-7	80-15-9	<3	Xn; R21/22-48/20/22 T; R23 C; R34 N; R51-53 O; R7	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 3 (H331) Skin Corr. 1B (H314) STOT RE 2 (H373) Aquatic Chronic 2 (H411) Org. Perox. E (H242)	No data available
MALEIC ACID	203-742-5	110-16-7	0.1-1.0	Xn; R22 Xi; R36/37/38 R43	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Skin Sens. 1 (H317) STOT SE 3 (H335)	No data available
ACRYLIC ACID	201-177-9	79-10-7	0.1-1.0	R10 Xn; R20/21/22 C; R35 N; R50	Acute Tox. 4 (H302) Acute Tox. 4 (H312) Acute Tox. 4 (H332) Skin Corr. 1A (H314) Aquatic Acute 1 (H400) Flam. Liq. 3 (H226)	No data available

Full text of R-phrases: see section 16

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General advice In case of accident or unwellness, seek medical advice immediately (show directions for

use or safety data sheet if possible).

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If symptoms persist, call a physician.

Skin contact IF ON SKIN:. Wash with soap and water. If skin irritation or rash occurs: Get medical

advice/attention. Wash contaminated clothing before reuse.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Ingestion IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an

unconscious person. Call a physician.

Self-protection of the first aider Use personal protective equipment as required.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms See section 2 for more information

4.3. Indication of any immediate medical attention and special treatment needed

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Foam. Dry chemical.

Unsuitable extinguishing media

No information available

5.2. Special hazards arising from the substance or mixture

None in particular.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin. Wash thoroughly after handling.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Ensure adequate ventilation. Soak up with inert absorbent material. Sweep up and shovel

into suitable containers for disposal.

6.4. Reference to other sections

See section 8 for more information. See section 13 for more information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin and eyes. Avoid breathing vapors or mists.

General Hygiene Considerations

When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep container tightly closed in a dry and well-ventilated place.

Incompatible materials

Strong oxidizing agents, Reducing agents, Amines

7.3. Specific end use(s)

Specific use(s)

Adhesive.

Risk Management Methods (RMM)

The information required is contained in this Safety Data Sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Chemical Name	European Union	United Kingdom	France	Spain	Germany
ACRYLIC ACID	-	-	TWA: 2 ppm	TWA: 2 ppm	TWA: 10 ppm
79-10-7			TWA: 6 mg/m ³	TWA: 6 mg/m ³	TWA: 30 mg/m ³
			STEL: 10 ppm	vía dérmica*	_
			STEL: 30 mg/m ³		
Chemical Name	Italy	Portugal	Netherlands	Finland	Denmark
ACRYLIC ACID	-	TWA: 2 ppm	-	TWA: 2 ppm	TWA: 2 ppm
79-10-7		P* .		TWA: 6 mg/m ³	TWA: 5.9 mg/m ³
				STEL: 15 ppm	H*
				STEL: 45 mg/m ³	
Chemical Name	Austria	Switzerland	Poland	Norway	Ireland
ACRYLIC ACID	-	TWA: 10 ppm	STEL: 29.5 mg/m ³	TWA: 10 ppm	TWA: 2 ppm
79-10-7		TWA: 30 mg/m ³	TWA: 10 mg/m ³	TWA: 30 mg/m ³	TWA: 6 mg/m ³
		STEL: 10 ppm		STEL: 10 ppm	STEL: 6 ppm
		STEL: 30 mg/m ³		STEL: 30 mg/m ³	STEL: 18 mg/m ³

Derived No Effect Level (DNEL) No information available.

Predicted No Effect Concentration No information available.

(PNEC)

8.2. Exposure controls

Engineering Controls

Use exhaust ventilation to keep airborne concentrations below exposure limits.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin and body protection Suitable protective clothing. Gloves made of plastic or rubber.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Use

NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as

Air = 1

appropriate.

Environmental exposure controls Local authorities should be advised if significant spillages cannot be contained.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state Liquid
Appearance Green
Odor Irritating

Odor threshold No information available

<u>Property</u> <u>Values</u> <u>Remarks • Method</u>

pH No information available

Melting point / freezing pointNo information availableBoiling point / boiling range100 °C / 212 °FFlash point95 °C / 203 °F

Evaporation rate

Flammability (solid, gas)

No information available

No information available

Flammability Limit in Air

Upper flammability limit:No information availableLower flammability limit:No information availableVapor pressureNo information available

Vapor density >1 Relative density 1.1

Water solubility
Solubility(ies)
Partition coefficient
Autoignition temperature
Decomposition temperature
Kinematic viscosity

Immiscible in water
No information available
No information available
No information available
No information available

Dynamic viscosity 1300 mPas

Explosive properties

Oxidizing properties

No information available
No information available

9.2. Other information

Softening point No information available Molecular weight No information available

VOC Content (%) 0.8%

Density

No information available

Bulk density

No information available

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Not applicable

10.2. Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

10.3. Possibility of hazardous reactions

None under normal processing.

10.4. Conditions to avoid

Excessive heat.

10.5. Incompatible materials

Strong oxidizing agents Reducing agents Amines

10.6. Hazardous decomposition products

Carbon oxides

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

Inhalation May be harmful if inhaled. May cause drowsiness or dizziness.

Eye contact Irritating to eyes. May cause redness and tearing of the eyes.

Skin contact May cause skin irritation and/or dermatitis. May cause sensitization by skin contact.

Ingestion Ingestion may cause irritation to mucous membranes.

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 4,623.00 mg/kg

 ATEmix (dermal)
 2,897.00 mg/kg

 ATEmix (inhalation-dust/mist)
 1.02 mg/l

Unknown acute toxicity

97.945 % of the mixture consists of ingredient(s) of unknown toxicity.

61.63 % of the mixture consists of ingredient(s) of unknown acute oral toxicity. 61.63 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

97.945 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas). 97.945 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor).

95.945 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
MALEIC ACID	= 708 mg/kg (Rat)	= 1560 mg/kg (Rabbit)	> 720 mg/m³ (Rat) 1 h

Skin corrosion/irritationNo information available.

Serious eye damage/eye irritation No information available.

Sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Reproductive toxicityNo information available.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Target Organ Effects Respiratory system, Eyes, Skin.

Aspiration hazard: No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity Very toxic to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Crustacea
DIMETHYLBENZYL	-	3.9: 96 h Oncorhynchus mykiss	7: 24 h Daphnia magna mg/L EC50
HYDROPEROXIDE		mg/L LC50 static	
MALEIC ACID	-	5: 96 h Pimephales promelas mg/L	250 - 400: 48 h Daphnia magna
		LC50 static	mg/L EC50
ACRYLIC ACID	0.17: 96 h Pseudokirchneriella	222: 96 h Brachydanio rerio mg/L	270: 24 h Daphnia magna mg/L
	subcapitata mg/L EC50 0.04: 72 h	LC50 semi-static	LC50 Static 95: 48 h Daphnia
	Desmodesmus subspicatus mg/L		magna mg/L EC50
	EC50		

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

Chemical Name	Partition coefficient
MALEIC ACID	-0.79 - 0.32
ACRYLIC ACID	0.38 - 0.46

12.4. Mobility in soil

Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues/unused

products

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

Waste codes / waste designations No data available

according to EWC / AVV

Other Information Waste codes should be assigned by the user based on the application for which the product

was used.

Section 14: TRANSPORT INFORMATION

IMDG

14.1 UN/ID no Not regulated 14.2 Proper shipping name: Not regulated 14.3 Hazard Class Not regulated None

14.4 Packing Group

14.5 Environmental hazard Not applicable

14.6 Special Provisions No information available

14.7 EmS-No Not applicable

RID

14.1 UN/ID no Not regulated 14.2 Proper shipping name: Not regulated 14.3 Hazard Class Not regulated 14.4 Packing Group None

14.5 Environmental hazard Not applicable

14.6 Special Provisions No information available 14.7 Classification code No information available

14.1 UN/ID no Not regulated Not regulated 14.2 Proper shipping name: 14.3 Hazard Class Not regulated 14.4 Packing Group None

Not applicable 14.5 Environmental hazard

14.6 Special Provisions No information available 14.7 Classification code No information available

IATA

14.1 UN/ID no Not regulated 14.2 Proper shipping name: Not regulated 14.3 Hazard Class Not regulated None

14.4 Packing Group

14.5 Environmental hazard Not applicable

No information available 14.6 Special Provisions

14.7 ERG Code Not applicable

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Authorizations and/or restrictions on use:

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

International Inventories

TSCA Complies Complies DSL/NDSL **EINECS/ELINCS** Not Listed. Complies **ENCS IECSC** Complies **KECL** Complies **PICCS** Complies Complies **AICS**

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

No information available

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of R-phrases referred to under sections 2 and 3

No information available

Full text of H-Statements referred to under section 3

H302 - Harmful if swallowed

H315 - Causes skin irritation

H319 - Causes serious eye irritation

H317 - May cause an allergic skin reaction

H335 - May cause respiratory irritation

H312 - Harmful in contact with skin

H332 - Harmful if inhaled

H314 - Causes severe skin burns and eye damage

H400 - Very toxic to aquatic life

H226 - Flammable liquid and vapor

H331 - Toxic if inhaled

H373 - May cause damage to organs through prolonged or repeated exposure if inhaled

H411 - Toxic to aquatic life with long lasting effects

H242 - Heating may cause a fire

Legend

SVHC: Substances of Very High Concern for Authorization:

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Revision Date 31-Jul-2015

Revision Note

Not applicable.

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

End of Safety Data Sheet
