SAFETY DATA SHEET



This safety data sheet complies with the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Date 12-Aug-2015 Version 2

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE **COMPANY/UNDERTAKING**

1.1. Product identifier

Product Code 82180

ULTRA BLACK GASKET MAKER 3.35OZ **Product Name**

Contains 2-BUTANONE OXIME

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended Use Sealant

No information available Uses advised against

1.3. Details of the supplier of the safety data sheet

Importer

ITW Permatex 10 Columbus Blvd. Hartford, CT 06106 USA Telephone: 1-87-Permatex

(877) 376-2839

E-mail address

mail@permatex.com

1.4. Emergency telephone number

24 Hour Emergency Phone Number - 800-255-3924 (00+ 1+ 813-248-0585) ChemTel

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Serious eye damage/eye irritation	Category 2 - (H319)
Skin sensitization	Category 1 - (H317)
Carcinogenicity	Category 2 - (H351)
Chronic aquatic toxicity	Category 2 - (H411)

Classification according to Directive 67/548/EEC or 1999/45/EC

Full text of R-phrases: see section 16

2.2. Label elements

Contains 2-BUTANONE OXIME



Signal word Warning

Statements of hazard

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H351 - Suspected of causing cancer

H411 - Toxic to aquatic life with long lasting effects EUH208 - May produce an allergic reaction

Precautionary Statements - EU (§28, 1272/2008)

P321 - Specific treatment (see supplemental first aid instructions on this label)

P280 - Wear eye protection/ face protection

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P273 - Avoid release to the environment

Other Information

- Not applicable

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 substances

Chemical Name	EC No	CAS No	Weight-%	Classification according to Directive 67/548/EEC or 1999/45/EC	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH Registration Number
SYNTHETIC ISOPARAFFINIC HYDROCARON	265-149-8	64742-47-8	5-10	Xn; R65	Asp. Tox. 1 (H304)	No data available
2-BUTANONE OXIME	202-496-6	96-29-7	0.5-2.0	Xn; R21 Carc.Cat.3; R40 Xi; R41 R43	Acute Tox. 4 (H312) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Carc. 2 (H351)	No data available

Full text of R-phrases: see section 16

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

4.1. Description of first aid measures

General advice In case of accident or unwellness, seek medical advice immediately (show directions for

use or safety data sheet if possible).

Inhalation IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

breathing. If symptoms persist, call a physician.

Skin contact IF ON SKIN:. Wash with soap and water. If skin irritation or rash occurs: Get medical

advice/attention. Wash contaminated clothing before reuse.

Eye contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

Revision Date 12-Aug-2015

present and easy to do. Continue rinsing. If eye irritation persists: Get medical

advice/attention.

Ingestion IF SWALLOWED:. Do NOT induce vomiting. Never give anything by mouth to an

unconscious person. Call a physician.

Self-protection of the first aiderUse personal protective equipment as required.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms See section 2 for more information

4.3. Indication of any immediate medical attention and special treatment needed

Note to physicians Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

5.1. Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2). Foam. Dry chemical.

Unsuitable extinguishing media

No information available

5.2. Special hazards arising from the substance or mixture

None in particular.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit. Use personal protective equipment as required.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions

Ensure adequate ventilation, especially in confined areas. Avoid contact with eyes and skin. Wash thoroughly after handling.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Do not flush into surface water or sanitary sewer system. Prevent further leakage or spillage if safe to do so. Prevent product from entering drains.

6.3. Methods and material for containment and cleaning up

Methods for containment Prevent further leakage or spillage if safe to do so.

Methods for cleaning up Ensure adequate ventilation. Flood with water to complete polymerization and scrape off

floor. Sweep up and shovel into suitable containers for disposal. Slippery, can cause falls if

walked on.

6.4. Reference to other sections

See section 8 for more information. See section 13 for more information.

Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Advice on safe handling

Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin and eyes. Avoid breathing vapors or mists.

General Hygiene Considerations

When using do not eat, drink or smoke. Regular cleaning of equipment, work area and clothing is recommended.

7.2. Conditions for safe storage, including any incompatibilities

Storage Conditions

Keep container tightly closed in a dry and well-ventilated place. Protect from moisture.

Incompatible materials

Strong oxidizing agents, Acids, Water

7.3. Specific end use(s)

Specific use(s)

Automotive Sealant.

Risk Management Methods (RMM)

The information required is contained in this Safety Data Sheet.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Chemical Name	European Union	United Kingdom	France	Spain	Germany
2-BUTANONE OXIME	-	-	=	-	TWA: 0.3 ppm
96-29-7					TWA: 1 mg/m ³
					H*
Chemical Name	Austria	Switzerland	Poland	Norway	Ireland
2-BUTANONE OXIME	-	-	-	-	TWA: 3 ppm
96-29-7					TWA: 10 mg/m ³
					STEL: 10 ppm

Derived No Effect Level (DNEL) No information available.

Predicted No Effect Concentration No information available.

(PNEC)

8.2. Exposure controls

Use exhaust ventilation to keep airborne concentrations below exposure limits. **Engineering Controls**

Personal protective equipment

Wear safety glasses with side shields (or goggles). Eye/face protection Skin and body protection

Suitable protective clothing. Gloves made of plastic or rubber.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Use

NIOSH-approved air-purifying respirator with organic vapor cartridge or canister, as

appropriate.

Local authorities should be advised if significant spillages cannot be contained. **Environmental exposure controls**

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

82180 - ULTRA BLACK GASKET MAKER 3.350Z

Physical state Paste
Appearance Black
Odor Mild

Odor threshold No information available

Property Values

pH No information available
Melting point / freezing point No information available

Boiling point / boiling range
Flash point
Fvaporation rate
Flammability (solid, gas)

Not Applicable
> 93 °C / > 200 °F
No information available
No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure

No information available
No information available
<5 mm Hg @ 80°F

Vapor density >1 Relative density 1.44

Water solubility Not applicable

Solubility(ies) No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Kinematic viscosity No information available **Dynamic viscosity** No information available **Explosive properties** No information available **Oxidizing properties** No information available

9.2. Other information

Softening pointNo information availableMolecular weightNo information available

VOC Content (%) 3.1%

DensityNo information availableBulk densityNo information available

Remarks • Method

Polymerization Tag Closed Cup

Air = 1

Polymerization

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Not applicable

10.2. Chemical stability

Stable under normal conditions.

Explosion data

Sensitivity to Mechanical Impact None. Sensitivity to Static Discharge None.

10.3. Possibility of hazardous reactions

None under normal processing.

10.4. Conditions to avoid

Excessive heat.

10.5. Incompatible materials

Strong oxidizing agents

Acids Water

10.6. Hazardous decomposition products

Carbon oxides Nitrogen oxides (NOx) Formaldehyde

May release 2-butanone oxime (ethyl methyl ketoxime) at elevated temperature

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Product Information

Inhalation May cause irritation of respiratory tract.

Eye contact Irritating to eyes. May cause redness and tearing of the eyes.

Skin contact May cause skin irritation and/or dermatitis. May cause sensitization by skin contact.

Ingestion Ingestion may cause irritation to mucous membranes.

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 6,027.00 mg/kg **ATEmix (dermal)** 5,865.00 mg/kg

Unknown acute toxicity

97.929 % of the mixture consists of ingredient(s) of unknown toxicity.

57.449 % of the mixture consists of ingredient(s) of unknown acute oral toxicity. 55.89 % of the mixture consists of ingredient(s) of unknown acute dermal toxicity.

97.929 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (gas). 97.929 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (vapor). 97.929 % of the mixture consists of ingredient(s) of unknown acute inhalation toxicity (dust/mist).

Skin corrosion/irritationNo information available.

Serious eye damage/eye irritation No information available.

Sensitization No information available.

Germ cell mutagenicity No information available.

Carcinogenicity No information available.

Chemical Name	European Union	
2-BUTANONE OXIME	Carc. 2	

Reproductive toxicity No information available.

STOT - single exposure No information available.

STOT - repeated exposureNo information available.

Target Organ Effects Eyes, Respiratory system, Skin.

Aspiration hazard: No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Ecotoxicity

Harmful to aquatic life with long lasting effects. Toxic to aquatic life. Toxic to aquatic life with long lasting effects.

Chemical Name	Algae/aquatic plants	Fish	Crustacea
SYNTHETIC ISOPARAFFINIC	-	45: 96 h Pimephales promelas mg/L	4720: 96 h Den-dronereides
HYDROCARON		LC50 flow-through 2.2: 96 h	heteropoda mg/L LC50
		Lepomis macrochirus mg/L LC50	
		static 2.4: 96 h Oncorhynchus	
		mykiss mg/L LC50 static	
2-BUTANONE OXIME	83: 72 h Desmodesmus subspicatus	777 - 914: 96 h Pimephales	750: 48 h Daphnia magna mg/L
	mg/L EC50	promelas mg/L LC50 flow-through	EC50
		760: 96 h Poecilia reticulata mg/L	
		LC50 static 320 - 1000: 96 h	
		Leuciscus idus mg/L LC50 static	

12.2. Persistence and degradability

No information available.

12.3. Bioaccumulative potential

No information available.

Chemical Name	Partition coefficient
2-BUTANONE OXIME	0.65

12.4. Mobility in soil

Mobility in soil

No information available.

12.5. Results of PBT and vPvB assessment

No information available.

12.6. Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from residues/unused

products

Disposal should be in accordance with applicable regional, national and local laws and

regulations.

Contaminated packaging Do not reuse container.

Waste codes / waste designations

according to EWC / AVV

No data available

Other Information Waste codes should be assigned by the user based on the application for which the product

was used.

Section 14: TRANSPORT INFORMATION

<u>IMDG</u>

14.1 UN/ID noNot regulated14.2 Proper shipping name:Not regulated14.3 Hazard ClassNot regulated

14.4 Packing Group None

Not applicable 14.5 Marine pollutant

14.6 Special Provisions No information available

14.7 EmS-No Not applicable

14.1 UN/ID no Not regulated 14.2 Proper shipping name: Not regulated 14.3 Hazard Class Not regulated

14.4 Packing Group None

14.5 Environmental hazard Not applicable

14.6 Special Provisions No information available

14.7

ADR

14.1 UN/ID no Not regulated 14.2 Proper shipping name: Not regulated 14.3 Hazard Class Not regulated

None 14.4 Packing Group

14.5 Environmental hazard Not applicable

No information available 14.6 Special Provisions 14.7 Classification code No information available

IATA

14.1 UN/ID no Not regulated 14.2 Proper shipping name: Not regulated 14.3 Hazard Class Not regulated 14.4 Packing Group None

14.5 Environmental hazard Not applicable

14.6 Special Provisions No information available

14.7 ERG Code Not applicable

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemical Name	French RG number	Title
SYNTHETIC ISOPARAFFINIC HYDROCARON	RG 84	-
64742-47-8		

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Authorizations and/or restrictions on use:

This product does not contain substances subject to authorization (Regulation (EC) No. 1907/2006 (REACH), Annex XIV) This product does not contain substances subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII)

Persistent Organic Pollutants

Not applicable

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

International Inventories

TSCA Complies **DSL/NDSL** Complies

Revision Date 12-Aug-2015

EINECS/ELINCS Not Listed.
ENCS Not Listed.
IECSC Complies
KECL Complies
PICCS Complies
AICS Complies

Legend:

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

15.2. Chemical safety assessment

No information available

Section 16: OTHER INFORMATION

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of R-phrases referred to under sections 2 and 3

No information available

Full text of H-Statements referred to under section 3

H225 - Highly flammable liquid and vapor

H304 - May be fatal if swallowed and enters airways

H250 - Catches fire spontaneously if exposed to air

H261 - In contact with water releases flammable gases

H302 - Harmful if swallowed

H314 - Causes severe skin burns and eye damage

H312 - Harmful in contact with skin

H318 - Causes serious eye damage

H317 - May cause an allergic skin reaction

H351 - Suspected of causing cancer if inhaled

Legend

SVHC: Substances of Very High Concern for Authorization:

Legend Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

TWA TWA (time-weighted average) STEL STEL (Short Term Exposure Limit)

Ceiling Maximum limit value * Skin designation

Revision Date 12-Aug-2015

Revision Note Not applicable.

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006

End of Safety Data Sheet